


NOVA Technologies



Premium Quality Casement & Sliding
Windows & Doors

NT 50 SS & NT 50 CS

SLIDING SECTION



Extra heavy shutter profile with Euro Groove

Glass Glazed with EPDM gasket

Corner connector cavity

Imported High quality tested rollers

Twin sealing on track by wool pile

Extra heavy bottom track with drainage cavity

CASEMENT SECTION



Glass Glazed with EPDM gasket

Corner connector cavity


Twin sealing by high quality EPDM gasket

EURO Groove type 1 to fit international quality hardware


Single and Multipoint locking option

NT 50 SS & NT 50 CS — Standard Configurations


2 TRACK 2 SHUTTER




OPEN — FIX




OPEN ONLY




2T2P WITH BOTTOM FIX




OPEN — FIX — OPEN



OPEN — TOP FIX



3 TRACK 3 SHUTTER



NT Series Windows & Doors

NT 50 SS & NT 50 CS designed in Italy, build around one of the world's best hardware system from Giesse, Italy. This is an 50 mm system which is best suited for Indian terrain & building practices here. Double sealing is provided for the excellent noise & weather protection. The system is designed to take various thicknesses of single as well as double glass. Since the euro-groove in the design has incorporated, it allows a great range & choice of hardware to be fitted in the system. As per international standards, Hardware is tested for quality performance. All the corners are miter and joined by corner connector, making it's final looks and finishing very clean and neat. All the fabrication, costing etc is generated by an Hi tech window designer software, hence precise costing & manufacturing. All the installations use silicone from inside as well as outside & executed by trained technicians ensuring perfect end results.

NT 50 SS – Slider System, Features

Shutter Depth	29 mm
Single glass range	4 / 5 / 6 mm
Double glass Range	18 mm
Hardware	Single & Multipoint lock (Giesse, Italy)
Bug Mesh	Available on Demand.
Corner details	45 degree, connected with corner connectors
Sealing overlap	7.5 mm (sealing with wool pile)
Sightline with Shutter	100 mm
2 Track Depth	50 mm
3 Track Depth	86 mm

NT 50 CS – Casement System, Features

Frame Depth	50 mm
Single glass range	4 / 5 / 6 mm
Double glass Range	20 — 22 mm
Fixed glass sight-line	46 mm
Open-able sight line	97.5 mm
Hardware	Single & Multipoint lock with handle (Giesse, Italy)
Corner details	45 degree, connected with corner connectors
Sealing overlap	6 mm (sealing with gaskets)

Please note that the price per square feet, may vary a lot based on the size of the window, type and style of the windows and as per the hardware application. Please get in touch with us for the detailed project costing and application suitability. We can help you with proper selection of windows, structural calculations etc.

NOVATechnologies

Plot No. A-241, Kagal Hatkanangale Five star MIDC,
Kagal-416 216. Dist. Kolhapur (M.S.) INDIA.
Ph : +91 9860222677;
www.novatechwindows.co.in

Dealers Stamp :